L Number	Hits	Search Text	DB	Time stamp
-1	0-	-("removable-adj-storage").PN.	-USPAT;	2002/12/15 16:11
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	2002/12/15 16 52
2	3716	removable adj storage	USPAT;	2002/12/15 16:53
			US-PGPUB; EPO; JPO;	
.!			DERWENT;	
			IBM TDB	
3	0	(removable adj storage) with (global near5	USPAT;	2002/12/15 16:12
		(id identif\$5))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	, ,
4	9	(removable adj storage) with (unique near5	USPAT;	2002/12/15 16:47
		(id identif\$5))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
5	29198	character with string	USPAT;	2002/12/15 16:15
-	2,1,0	Constant with political	US-PGPUB;	,, 15 15.15
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	9428	string with (id identif\$5)	USPAT;	2002/12/15 16:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
7	3980	(character with string) and (string with (id	IBM_TDB USPAT;	2002/12/15 16:16
'	3960	identif\$5))	US-PGPUB;	2002/12/13 18:16
		Tuester y 3/ /	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	75	((character with string) and (string with	USPAT;	2002/12/15 16:16
		(id identif\$5))) and (removable adj storage)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
9	69	(removable adj storage) with (id identif\$5)	IBM_TDB USPAT;	2002/12/15 16:17
-	0,5	(Temovable day Beolage, with (1a lachelly),	US-PGPUB;	2002/12/13 10:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	1	(((character with string) and (string with	USPAT;	2002/12/15 16:19
		(id identif\$5))) and (removable adj	US-PGPUB;	
		storage)) and ((removable adj storage) with	EPO; JPO;	
		(id identif\$5))	DERWENT; IBM TDB	
11	7	tracking with removable adj storage	USPAT;	2002/12/15 16:21
	,	descring with removable day beerage	US-PGPUB;	2002/12/13 10.21
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
12	68	(id identif\$4) with removable adj storage	USPAT;	2002/12/15 16:22
			US-PGPUB;	
			EPO; JPO;	
}			DERWENT;	
13	849	conver\$5 with (id identif\$4) with (name	IBM_TDB USPAT;	2002/12/15 16:25
	049	string)	US-PGPUB;	2002/12/13 10.23
		J.	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
14	0	((id identif\$4) with removable adj storage)	USPAT;	2002/12/15 16:23
		and (conver\$5 with (id identif\$4) with (name	US-PGPUB;	
		string))	EPO; JPO;	
			DERWENT;	
L		<u></u>	IBM_TDB	

r\$5 with (id identif\$4) with (name)) and (removable adj storage) r\$5 with (id identif\$4) with (name)) and (backup (back adj up) back-up \$4 migrat\$4) er\$5 with (id identif\$4) with (name)) and (backup (back adj up) back-up	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 16:56
)) and (backup (back adj up) back-up \$4 migrat\$4) er\$5 with (id identif\$4) with (name	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/12/15 16:26
)) and (backup (back adj up) back-up \$4 migrat\$4) er\$5 with (id identif\$4) with (name	USPAT; US-PGPUB; EPO; JPO;	2002/12/15 16:26
	IBM_TDB USPAT; US-PGPUB;	2002/12/15 16:27
	DERWENT; IBM_TDB	2002/12/15 16:34
)) and (backup (back adj up) back-up \$4 migrat\$4)) and storage) and	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/13 10:34
45" "5454046" "5463774"	USPĀT	2002/12/15 16:30
204" "5412808" "5437029" 45" "5454046" "5463774"	USPAT	2002/12/15 16:30
	USPAT	2002/12/15 16:30
	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 16:56
(character adj string) string name))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 16:36
(character adj string) string name))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 16:36
(character adj string) string name))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 16:38
	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 16:52
ue global) with (id identif\$5 name	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 17:03
ble adj (storage medi\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 17:13
ue global) with (id identif\$5 name))) not ((removable adj storage) same	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT:	2002/12/15 16:53
))) able adj (storage medi\$4)) and (id f\$5) with ((character adj string)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 16:56
	exer\$5 with (id identif\$4) with (name (name)) and (backup (back adj up) back-up (same) and storage) and (cimal (same) (sa	EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J

31	23	(conver\$5 with (id identif\$4) with (name string)) and (removable adj (storage	USPAT; US-PGPUB;	2002/12/15 17:00
		medi\$4))	EPO; JPO; DERWENT; IBM TDB	
33	0	(removable adj (storage medi\$4)) and 711/201.ccls.	USPAT; US-PGPUB; EPO; JPO;	2002/12/15 17:01
			DERWENT; IBM_TDB	
32	204	711/201.ccls.	USPAT; US-PGPUB; EPO; JPO;	2002/12/15 17:01
34	20	((removable adj (storage medi\$4)) same	DERWENT; IBM_TDB USPAT;	2002/12/15 17:03
		((unique global) with (id identif\$5 name string))) and conver\$5	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
37	1065	<pre>(removable adj (storage medi\$4)) and medi\$4 with (name id identif\$5)</pre>	USPAT; US-PGPUB; EPO; JPO;	2002/12/15 17:05
38	360	((removable adj (storage medi\$4)) and medi\$4 with (name id identif\$5)) and ((back adj	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/12/15 17:06
		up)backup back-up restor\$5 migrat\$4)	EPO; JPO; DERWENT; IBM TDB	
39	19	(((removable adj (storage medi\$4)) and medi\$4 with (name id identif\$5)) and ((back adj up)backup back-up restor\$5 migrat\$4)) and hexadecimal	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 17:07
40	976	(removable adj (storage medi\$4)) and addressing	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/12/15 17:13
41	252	((removable adj (storage medi\$4)) and addressing) and global	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 17:13
42	1166	(removable adj (storage medi\$4)) and global	IBM_TDB USPAT; US-PGPUB;	2002/12/15 17:13
			EPO; JPO; DERWENT; IBM_TDB	
43	102	((removable adj (storage medi\$4)) and global) and global near3 (name string adress\$4 or id identif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 17:14
44	5	(((removable adj (storage medi\$4)) and global) and global near3 (name string adress\$4 or id identif\$5)) and hexadecimal	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/15 17:16
45	98	(removable adj (storage medi\$4)) and medi\$4 near2 management	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/12/15 17:45
46	0	6370545.urpn.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/12/15 17:45
			EPO; JPO; DERWENT; IBM TDB	

47	2	("6370545").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:45
48	0	6370545.URPN.	USPAT	2002/12/15 17:46
49	0	6370545.URPN.	USPAT	2002/12/15 17:46
50	13	("4958314" "4975898" "5214627" "5537636" "5613097" "5708650" "5711672" "5717683" "5825728" "5832213" "5850566" "5896546" "6119131").PN.	USPAT	2002/12/15 17:46
51	18	(US-6477629-\$ or US-6205527-\$ or US-5638509-\$ or US-6212512-\$ or US-5884298-\$ or US-5799141-\$ or US-6370545-\$ or US-5832507-\$ or US-6415280-\$ or US-5940854-\$ or US-5765154-\$ or US-6119131-\$ or US-5832213-\$ or US-5613097-\$).did. or (US-20020095501-\$ or US-20020174330-\$ or US-20020052884-\$ or US-20020087785-\$).did.	USPAT; US-PGPUB	2002/12/15 18:58
52	7	((US-6477629-\$ or US-6205527-\$ or US-5638509-\$ or US-6212512-\$ or US-5884298-\$ or US-5799141-\$ or US-6370545-\$ or US-5832507-\$ or US-6415280-\$ or US-5940854-\$ or US-5765154-\$ or US-6119131-\$ or US-5832213-\$ or US-5613097-\$).did. or (US-20020095501-\$ or US-20020174330-\$ or US-20020052884-\$ or US-20020087785-\$).did.) and conver\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 19:13
53	475		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 19:13
54	20	<pre>(hexadecimal with ASCII) and (removable adj (storage medi\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 19:13
-	1189	707/202	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:50
-	543	707/202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:51
-	42	707/202.ccls. and protect\$4 with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:51
-	95	707/202.ccls. and (backup back-up) with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:51
-	50	(707/202.ccls. and (backup back-up) with file) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:51
-	23	(707/202.ccls. and protect\$4 with file) and log ,	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/12 17:54

 2	707/202.ccls. and vault	USPAT;	2002/12/12 17:56
	, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	, ,
		EPO; JPO;	
		DERWENT;	
		IBM TDB	
4693841	connect with database with operating system	USPAT;	2002/12/12 17:57
		US-PGPUB;	1
		EPO; JPO;	
		DERWENT;	
		IBM_TDB	
0	selecet with file with protect\$3	USPAT;	2002/12/12 17:57
		US-PGPUB;	
		EPO; JPO;	
		DERWENT;	
		IBM_TDB	0000/10/10 15 50
61	select with file with protect\$3	USPAT;	2002/12/12 17:58
		US-PGPUB;	
		EPO; JPO;	
		DERWENT;	
27	(gologt with file with protects) and	IBM_TDB USPAT;	2002/12/12 17:58
21	(select with file with protect\$3) and database	US-PGPUB;	2002/12/12 17:58
	dacabase	EPO; JPO;	
İ		DERWENT;	
		IBM TDB	
20	((select with file with protect\$3) and	USPAT;	2002/12/12 17:5
	database) and log	US-PGPUB;	2002/12/12 17.5
	"""	EPO; JPO;	
		DERWENT;	
		IBM TDB	
20	(((select with file with protect\$3) and	USPAT;	2002/12/12 17:58
	database) and log) and protect\$3	US-PGPUB;	
		EPO; JPO;	
		DERWENT;	
		IBM_TDB	
6	"6212512"	USPAT;	2002/12/12 19:28
		US-PGPUB;	
		EPO; JPO;	
		DERWENT;	
	6010510	IBM_TDB	10000/10/10 10 10
2	6212512.pn.	USPAT; US-PGPUB;	2002/12/12 19:43
		EPO; JPO;	
		DERWENT;	1
		IBM TDB	1
2	6212512.URPN.	USPAT	2002/12/12 19:29
7	1 .	USPAT	2002/12/12 19:29
	"5987123" "5999622" "6052486"	551111	2002/12/12 13:2:
	"6057842").PN.		
178	identif\$5 with removable with storage	USPAT;	2002/12/12 19:44
		US-PGPUB;	
ļ		EPO; JPO;	
		DERWENT;	
1		IBM_TDB	
0	(identif\$5 with removable with storage) and	USPAT;	2002/12/12 19:43
	gloabl with identif\$4	US-PGPUB;	
		EPO; JPO;	
		DERWENT;	
		IBM_TDB	
0	(identif\$5 with removable with storage) and	USPAT;	2002/12/12 19:43
	gloabal with identif\$4	US-PGPUB;	
1	1	EPO .TPO .	1

5 (identif\$5 with removable with storage) and global with identif\$4

EPO; JPO; DERWENT; IBM_TDB USPAT;

US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

2002/12/12 19:43

-	115	identif\$5 with removable adj4 storage	USPAT; US-PGPUB;	2002/12/12 19:45
			EPO; JPO; DERWENT; IBM TDB	
-	45	(identif\$5 with removable adj4 storage) and character	USPAT; US-PGPUB;	2002/12/12 19:45
			EPO; JPO; DERWENT;	
-	19	(identif\$5 with removable adj4 storage) and	IBM_TDB USPAT;	2002/12/12 19:45
		string	US-PGPUB; EPO; JPO; DERWENT;	
-	12	1	IBM_TDB USPAT;	2002/12/15 14:10
		string) and ((identif\$5 with removable adj4 storage) and character)	US-PGPUB; EPO; JPO; DERWENT;	
-	20	(identif\$5 with removable adj4 storage) and global	IBM_TDB USPAT; US-PGPUB;	2002/12/12 19:48
		giobal	EPO; JPO; DERWENT; IBM TDB	
-	5	(identif\$5 with removable adj4 storage) and global with identif\$4	USPAT; US-PGPUB;	2002/12/12 19:48
:			EPO; JPO; DERWENT; IBM TDB	
-	15	((identif\$5 with removable adj4 storage) and global) not ((identif\$5 with removable adj4	USPAT; US-PGPUB;	2002/12/15 13:13
		storage) and global with identif\$4)	EPO; JPO; DERWENT; IBM TDB	
-	2	("6212512").PN.	USPAT; US-PGPUB; EPO; JPO;	2002/12/15 13:13
			DERWENT; IBM_TDB	
-	2	6212512.URPN.	USPAT	2002/12/15 13:13
-	7	("5634124" "5915019" "5973692" "5987123" "5999622" "6052486" "6057842").PN.	USPAT	2002/12/15 13:13
-	1027	global with identifier	USPAT; US-PGPUB; EPO; JPO;	2002/12/15 14:11
			DERWENT; IBM_TDB	0000/10/15 14 11
-	95	(global with identifier) same storage	USPAT; US-PGPUB; EPO; JPO;	2002/12/15 14:11
	43800	HOEH and (regtores back up backup (back adi	DERWENT; IBM_TDB	2002/12/15 14:13
-	43890	<pre>"95" and (restor\$5 back-up backup (back adj up))</pre>	USPAT; US-PGPUB; EPO; JPO;	2002/12/15 14:13
_	32	((global with identifier) same storage) and	DERWENT; IBM_TDB USPAT;	2002/12/15 14:30
		(restor\$5 back-up backup (back adj up))	US-PGPUB; EPO; JPO;	
_	2	("5638509").PN.	DERWENT; IBM_TDB USPAT;	2002/12/15 16:11
		,	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
<u> </u>	12	5638509.URPN.	USPAT	2002/12/15 14:30